

**RESTRICTED USE PESTICIDE
DUE TO REPRODUCTIVE EFFECTS**

For retail sale to and use by certified applicators or persons under their direct supervision* and only for those uses covered by the certified applicators certification.

*Direct supervision for this product is defined as the certified applicator being physically present during mixing, loading, equipment repair and equipment cleaning. Certified applicators must ensure that all persons involved in these activities under their direct supervision are informed of the precautionary statements.

Mauget®

INJECT-A-CIDE®

(CONTAINS MSR 50% Concentrate)*
INTERNAL TREATMENT BY MICRO-INJECTION FOR SYSTEMIC
SUPPRESSION OF CERTAIN INSECTS ON ORNAMENTAL TREES.

ACTIVE INGREDIENT:

Oxydemeton methyl

S [2 (ethylsulfanyl) ethyl] 0,0 dimethyl phosphorothioate.....50.0%

OTHER INGREDIENTS.....50.0%

TOTAL.....100.0%

*MSR is a trademark of Gowan Company

KEEP OUT OF REACH OF CHILDREN



**DANGER
PELIGRO**

POISON

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

FIRST AID

IF SWALLOWED

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

EMERGENCY TELEPHONE NUMBERS

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the manufacturer at 1-800-873-3779 or CHEMTREC at 1-800-424-9300 for emergency treatment information.

NOTE TO PHYSICIAN

This product may cause cholinesterase depression. Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Causes irreversible eye damage. May be fatal if inhaled, swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe vapors. Repeated exposures to cholinesterase inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Repeated skin contact causes allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical resistant gloves
- Protective eyewear

For use in confined space:

Use a dust/mist filtering respirator (MSHA/NIOSH) approval number prefix (TC-21C), or a NIOSH approved respirator with any R, P or HE filter.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

User should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Flammable, keep away from heat or open flame.

MFG. BY:
CITY, STATE:
EPA ESTABLISHMENT NO.:
EPA REGISTRATION NO.:

J.J. MAUGET CO.
ARCADIA, CA 91006
7946-CA-1
7946-10

Net Contents:

_____ 100 capsules plus 100 feeder tubes per carton.
100 capsules @ 3 mL ea., 300 mL net
3 cartons per case, 900 mL net.

_____ 24 capsules plus 24 feeder tubes per carton.
24 capsules @ 3 mL ea., 72 mL net.
Shipping box: 12 cartons as above.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN ANY MANNER INCONSISTENT WITH ITS LABELING.

Read the entire label before using this product.

Not for use on trees being grown for sale or other commercial use, or for commercial seed production, or for the production of timber or wood products, or for research purposes.

Inject-A-Cide is for use at such sites as residential, roadside, interiorscapes, exteriorscapes, golf courses, parks, cemeteries and schools.

GENERAL DIRECTIONS

Measure the tree at chest height in inches. If measuring the circumference of the tree, divide this number by six (6) to determine the number of capsules needed. If measuring the diameter of the tree, divide this number by two (2) to determine the number of capsules needed. Apply the injector units around the tree at the root flare. Consult the enclosed pamphlet "Directions for use and application of Maugeet Micro-Injection System" for additional instructions. **Applicators shall not leave capsules unattended while in use. Remove capsules promptly after treatment.**

RESTRICTIONS

Do not inject trees that are less than two inches in diameter.

Do not inject trees within two weeks of any other spray or soil chemical treatment.

Do not treat trees that are suffering from stress such as lack of moisture or herbicide damage.

This product is NOT to be used on trees which will produce food within the year following treatment (i.e. walnuts).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from heat and open flame. Store in original container and out of the reach of children, preferably in a locked storage area. Always keep capsules in an upright position. If capsules are leaking, triple rinse with water. Dispose of rinsate in approved manner. In spill or leak incidents, keep unauthorized people away. Wash down with large amounts of water. Decontaminate using alkaline detergent such as Tide.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER DISPOSAL: Immediately upon removing from tree, place capsules and feeder tubes in a high strength plastic bag and close off the open end of the plastic bag for transport to a facility for disposal in a manner authorized by State and Local Authorities.

Crop/Use	Insect/Pest	Remarks	
Cedar	Bark Beetles	Treat anytime from early Spring thru October Repeat after new invasion	
Cottonwood	Aphids	Apply when wingless forms appear	
Cypress	Bark Beetles	Treat anytime from early Spring thru October Repeat after new invasion	
	Mites	Apply after mite eggs hatch	
Douglas Fir	Cone Moths	Apply to heavy, current cone crop trees during or shortly after eggs are deposited	
	Engraver Beetles	Treat anytime from early Spring thru October Repeat after new invasion	
Elm	Elm Leaf Beetles	Apply after eggs are present or during early larval feeding	
Juniper	Bark Beetles	Treat anytime from early Spring thru October Repeat after new invasion	
Pine (except Pinon)	Engraver Beetles (5 spined)	Treat anytime from early Spring thru October Repeat after new invasion	
	Engraver Beetles (Monterey)		
	Flathead Borers		
	Mountain Pine Beetles		
	Red Turpentine Beetles		
	Black Turpentine Beetles		
	Western Pine Beetles		
	Jeffrey Needle Miners		Apply April to June
	Mites		Apply after mite eggs hatch
	Nantucket Pine Tip Moths		Treat when larval damage is first evident
Pine Needle Aphids	Pine Needle Aphids	Apply when wingless forms appear	
	Pine Needle Scales	Apply when crawlers appear	
Redwood	Bark Beetles	Apply when active infestation sites are present	
	Mites	Apply after mite eggs hatch	
	Needle Scales	Apply when crawlers appear	
Spruce	Adelges	Apply in May-June	
Walnut & Pecan (Non-bearing)	Aphids	Apply when wingless forms appear	
	Mites	Apply after mite eggs hatch	
Willow	Aphids	Apply when wingless forms appear	

NOTICE OF WARRANTY

J.J. Maugeet Co. makes no warranty regarding merchantability, fitness for any purpose or otherwise, expressed or implied, concerning this product or its uses which extend beyond the use of the product under normal conditions in accordance with the statements made on this label.

J.J. MAUGET CO., ARCADIA, CA 91006